

No. 1

Renal function in dogs with chronic moderate unilateral ureteral obstruction: <i>A. Aperia, P. Herin, S. Josephson & K. Lännergren</i>	1
Effect of physical training on peak oxygen consumption rate and exercise-induced asthma in adult asthmatics: <i>A. Bundgaard, T. Ingemann-Hansen, A. Schmidt & J. Halkjaer-Kristensen</i>	9
Exercise-induced asthma after walking, running and cycling: <i>A. Bundgaard, T. Ingemann-Hansen, A. Schmidt & J. Halkjaer-Kristensen</i>	15
Hormonal changes in catabolic patients during parenteral nutrition: <i>I. Tulikoura</i>	19
HbA _{1c} determination by agar gel electrophoresis after elimination of labile HbA _{1c} : a comparison with ion-exchange chromatography: <i>K. Dahl-Jørgensen & A. E. Larsen</i>	27
Copper and zinc in human serum in Norway. Relationship to geography, sex and age: <i>K. Helgeland, T. Haider & J. Jonsen</i>	35
The effect of sex, height and time of day on the excretion of glycosaminoglycans and the consequences: <i>J. H. Poulsen & M. Vaeth</i>	41
Nation-wide TSH-screening with low recall rate. Laboratory results of a two-year study: <i>L. Hummer, T. Munker, S. S. Sørensen, N. J. Brandt & B. B. Jacobsen</i>	49
Phospholipase C from <i>Bacillus cereus</i> has sphingomyelinase activity: <i>Ø. Hetland & H. Prydz</i>	57
Diurnal pattern of insulin requirements in insulin-dependent diabetics: <i>E. R. Mathiesen, P. Rubin, J. S. Christiansen, P. A. Svendsen, T. Lauritzen & T. Deckert</i>	
Effect of acute selective beta-1-adrenoceptor blockade on hormonal and cardiovascular response to insulin-induced hypoglycaemia in insulin-dependent diabetic patients: <i>K. Kølendorf, H. Aerenlund Jensen, J. J. Holst & J. E. Poulsen</i>	69
Injury to human cells in culture induced by low density lipoprotein: an effect independent of receptor binding and endocytic uptake of low density lipoprotein: <i>T. Børsum, T. Henriksen, B. Carlander & A. Reisvaag</i>	75
Antithrombin III and dietary intake of polyunsaturated fatty acids: <i>E. Stofferson, K. A. Jørgensen & J. Dyerberg</i>	83
Angiotensin II and renal excretion of sodium and potassium in unanaesthetized dogs: <i>H. C. Børresen, S. Rørvik, I. Guldvog & A. Aakvaag</i>	87

Letter to the Editor

Aldosterone, angiotensin II, and renal salt sparing: <i>H. C. Børresen</i>	93
---	----

No. 2

Editorial

On accuracy in clinical chemistry: <i>I. Björkhem, P. Elg, H. Olesen, J. M. Rasmussen, K. T. Stokke, L. Theodorsen, C.-H. de Verdier & Ö. Wahlroos</i>	97
A possible model for accuracy control of determination of serum cholesterol with use of reference methods. A NORDKEM project: <i>L. Svensson, P. Elg, M. Rasmussen, S. Skrede & I. Björkhem</i>	99
Paired observations of sulphate/uronic acid ratios in glycosaminoglycans of human dermis and urine: <i>J. H. Poulsen & M. K. Cramers</i>	107
Serum lipoprotein and lymphocyte LDL receptor studies in parents and children with heterozygous familial hypercholesterolaemia: <i>K. B. Johansen, O. Faergeman & G. E. Andersen</i>	113
Reference intervals for haemoglobins estimated by isoelectric focusing: <i>T. L. Andreassen, E. Hansen & H. Olesen</i>	119
Colloid osmotic pressure of human subcutaneous interstitial fluid sampled by nylon wicks: evaluation of the method: <i>H. Noddeland</i>	123
Influence of body posture on transcapillary pressures in human subcutaneous tissue: <i>H. Noddeland</i>	131
Interstitial fluid colloid osmotic and hydrostatic pressures in subcutaneous tissue of patients with nephrotic syndrome: <i>H. Noddeland, S. M. Riisnes & H. O. Fadnes</i>	139
Urinary excretion of albumin in normal man: the effect of water loading: <i>G. C. Viberti, C. E. Mogensen, H. Keen, F. K. Jacobsen, R. J. Jarrett & C. K. Christensen</i>	147
Long-term reproducibility of the intravenous fat tolerance test: <i>S. Rössner</i>	153
Interstitial fluid posturein DMBA-induced rat mammary tumours: <i>H. Wiig, E. Tveit, R. Hultborn, R. K. Reed & L. Weiss</i>	159
Microvascular pressures in DMBA-induced rat mammary tumours: <i>H. Wiig</i>	165
Serum ASAT, ALAT, ALP, LD, GT, and CK determined in the Cobas-Bio centrifugal analyser by the methods of the Scandinavian Committee on Enzymes: <i>J. M. Izquierdo, P. Sotorrio, J. Alvarez-Uria, J. M. Estrada & A. Quirós</i>	173
Trivariate evaluation of a thyroid hormone panel in clinical practice compared with multiple univariate evaluation: <i>B. Kågedal, L. Larsson, A. Norr & G. Toss</i>	177
Simultaneous determination of prednisolone and cortisol in serum by HPLC and by isotope dilution-mass spectrometry: <i>L. Öst, O. Falk, O. Lantto & I. Björkhem</i>	181
Effects of neomycin alone and in combination with cholestyramine on serum methyl sterols and conversion of acetate and mevalonate to cholesterol: <i>T. A. Miettinen</i>	189

Technical Note

Comparison of two methods for measurement of serum angiotensin-converting enzyme in sarcoidosis: <i>F. K. Römer</i>	197
--	-----

No. 3

Editorial Reviews

Biochemical diagnosis of ectopic pregnancy: <i>G. Linstedt, P. A. Lundberg, P. O. Janson & J. Thorburn</i>	201
Catecholamines and essential hypertension: <i>N. J. Christensen</i>	211
Evidence of increased peripheral catecholamine release in patients with long-standing, untreated hypertension: <i>S. E. Kjeldsen, B. Flaaten, I. Eide, A. Helgeland & P. Leren</i> ...	217
Determination of 'total' and 'true' cobalamin with the SimulTRAC Assay®: <i>L. Waldenlind, K. Lamminpää & L. Sundblad</i>	225
Urinary calcium oxalate monohydrate crystals in ethylene glycol poisoning: <i>D. Jacobsen, I. Åkesson & E. Shefter</i>	231
A rapid one-step method for the isolation of human granulocytes from the whole blood: <i>L. V. Jepsen & T. Skottum</i>	235
Toxicity of phospholipase C in rabbits: <i>Ø. Hetland, K. Warhuus, K. E. Giercksky, R. Aaslid & H. Prydz</i>	239
Intracellular potassium in man. A comparison of <i>in vivo</i> and <i>in vitro</i> measurement techniques: <i>B. Carlmark, J. Bergström, F. Ericsson, E. Hultman & P. Reizenstein</i>	245
Hepatic galactose elimination kinetics in the intact pig: <i>S. Keiding, S. Johansen & K. Winkler</i>	253
The extracellular fluid volume in normal man determined as the distribution volume of [⁵¹ Cr] EDTA: <i>J. Brochner-Mortensen</i>	261
Rapid and slow rate of decrease in HbA _{1a+b} and HbA _{1c} during improved glycaemic control: <i>H. Arnqvist, G. Cederblad, G. Hermansson, J. Ludvigsson & S. Wettre</i>	265
The concentration of free calcium ions and total calcium in pregnancies at term: <i>J. Wandrup, J. J. Kjer, J. Thode & O. Siggaard-Andersen</i>	273
Measurement of the uroporphyrinogen decarboxylase activity in blood: <i>M. Salmi & R. Tenhunen</i>	279
Injury to cultured human fibroblasts induced by low density lipoproteins: potentiating and protective factors: <i>S. A. Evensen, E. Nilsen & K. S. Galdal</i>	285
Plasma fibronectin concentration in normal subjects: <i>H. O. Eriksen, I. Clemmensen, M. S. Hansen & K. K. Ibsen</i>	291
Anterior left ventricular wall circulation in patients with coronary artery disease: <i>S. Simonsen, J. Dale & G. Woxholt</i>	297

No. 4

Activity of creatine kinase isoenzymes in the serum after acute alcohol intake and in chronic alcoholism: <i>P. Kettunen</i>	303
The Staub-Traugott effect. Evidence for multifactorial regulation of a physiological function: <i>A. Wajngot, V. Grill, S. Efendić & E. Cerasi</i>	307
The continuous thermodilution method for measuring high blood flows: <i>S. Häggmark, B. Biber, J.-G. Sjödin, O. Winsö, B. Gustavasson & S. Reiz</i>	315
Arterial pH monitoring with monocrystalline antimony sensors: <i>E. Nilsson & G. Edwall</i> ...	323
Continuous intra-arterial PO_2 monitoring with a surface heparinized catheter electrode: <i>E. Nilsson, G. Edwall, R. Larsson & P. Olsson</i>	331
Determination of interdependent ligand effects on human red cell oxygen affinity: <i>W. G. Zijlstra, B. Oeseburg, G. Kwant & A. Zwart</i>	339
Immunoradiometric quantification of tissue plasminogen activator secreted by fetal organs. Comparison with urokinase: <i>L. Holmberg, A.-C. Kristoffersson, I. Lecander, P. Wallén & B. Åstedt</i>	347
Diffusion-in-gel enzyme-linked immunosorbent assay (DIG-ELISA). Quantification of antigen by diffusion over an antibody-coated surface: <i>H. Nygren & M. Stenberg</i>	355
Accumulation of pyroglutamic acid (5-oxoproline) in homocystinuria: <i>O. Stokke, S. Marstein, E. Jellum & S. O. Lie</i>	361
Home testing for pregnancy—can it be recommended? <i>G. Lindstedt, C.-E. Himmelmann, R. Salsmans & K. Valentin</i>	371
The influence of prednisone on serum angiotensin-converting enzyme activity in patients with and without sarcoidosis: <i>F. K. Rømer & F. Jacobsen</i>	377
Plasma concentrations of five proteinase inhibitors in healthy school-age children and in children with familial risk of ischaemic heart disease: <i>M. S. Hansen & K. K. Ibsen</i> ...	383
Effect of physical training on serum lipids and serum HDL cholesterol in young men: <i>J. Hørby-Petersen, P. Grande & C. Christansen</i>	387
Reduction of plasma renin substrate after parturition; role of renin: <i>I. Immonen</i>	391

Technical Note

High performance thin layer chromatography of disaturated phosphatidylcholines in amniotic fluid: <i>A. Sværen & K. Try</i>	395
--	-----

No. 5

Original Articles

Enzymatic studies on possible improvement of cytosine arabinoside treatment: <i>J. Mejer</i> ...	401
Evaluation of a new semiautomatic electrode system for simultaneous measurement of ionized calcium and pH: <i>J. Thode, J. Wandrup, F. Aas & O. Siggaard-Andersen</i> ...	407
Role of the parasympathetic nervous system in alcohol-induced bradycardia in conscious cats: <i>G. E. Samonina & M. O. K. Hakumäki</i> ...	417
Increased transvascular escape rate and lymph drainage of albumin in pigs during intravenous diuretic medication. Relations to treatment in men and transport mechanisms: <i>J. H. Henriksen, H.-H. Parving, N. A. Lassen & K. Winkler</i> ...	423
Triiodothyronine (T_3) binding to immunoglobulin G subclasses in a slightly hypothyroid woman: <i>A. Vidnes, T. Silsand, R. Ljosland, H. Kapelrud & P. E. Prydz</i> ...	431
Alterations in plasma proteins and lipoproteins in acute myocardial infarction: effects on activation of lipoprotein lipase: <i>I. Stubbe, A. Gustafson & P. Nilsson-Ehle</i> ...	437
Serum 1,5-anhydroglucitol in normal subjects and in patients with insulin-dependent diabetes mellitus: <i>E. Pitkänen</i> ...	445
The effect of HDL cholesterol of oxprenolol and atenolol: <i>S. E. Kjeldsen, I. Eide, P. Leren, O. P. Foss, I. Holme & I. L. Eriksen</i> ...	449
A high-pressure liquid chromatographic-enzymatic assay for glycine and taurine conjugates of cholic, chenodeoxycholic and deoxycholic acid in serum: <i>K. Linnet</i> ...	455
Renal contribution to plasma catecholamines—effect of age: <i>S. E. Kjeldsen, I. Eide, C. Christensen, A. Westheim & O. Müller</i> ...	461

No. 6

Editorial Review

- Nomenclature of function tests: *L.-G. Allgén, C.-H. de Verdier, R. Dybkaer, E. Hultman, K. Jørgensen, A. Kallner & S. Lindstedt* 467

Letter to the Editor

- The concept of clearance: *A. Kallner & C.-H. de Verdier* 473

Original Articles

- γ -Butyrobetaine hydroxylase in human kidney: *G. Lindstedt, S. Lindstedt & I. Nordin* 477
- Vitamin D metabolites in diabetic patients: decreased serum concentration of 24,25-dihydroxyvitamin D: *C. Christiansen, M. S. Christensen, P. McNair, B. Nielsen & S. Madsbad* 487
- A micromethod for the simultaneous determination of clinically important androgens and oestrogens in plasma: *E. Hämäläinen* 493
- High-energy phosphate compounds during exercise in human slow-twitch and fast-twitch muscle fibres: *S. Ruhunen, H. Näveri, K. Kuoppasalmi & M. Härkönen* 499
- The effect of protein deprivation on the validity of creatinine and urea in evaluation of renal function. An experimental study in the goat: *M. H. Valtonen, A. Uusi-Rauva & L. Eriksson* 507
- Cardiac output in normal pregnancy measured by impedance cardiography: *P. Myhrman, G. Granerus, K. Karlsson & Y. Lundgren* 513
- Catabolism of haemoglobin-haptoglobin complexes in haemolytic uraemia-like syndromes of different etiologies: *I. Brandslund, P. H. Petersen, M. M. Brinløv, P. K. Andersen & E. Parlev* 521
- Capillary gas-liquid chromatography of faecal free and esterified neutral sterols: *J. T. Korpela* 529
- Haemoglobin F and the assessment of glucose control by chromatographically determined HbA_{1c} levels: *P. A. Svendsen & U. Søgaard* 535

No. 7

Original Articles

- Radioimmunoassay of calcitonin and unextracted human serum: a sensitive method: *K. Emmertsen, J. Marqversen, F. T. Jensen & H. H. Hansen* 539
- Determination of hyaluronic acid, dermatan sulphate, heparan sulphate and chondroitin 4/6 sulphate in human dermis, and a material of reference: *J. H. Poulsen & M. K. Cramers* 545
- Bile acid excretion during drainage of extrahepatic cholestasis with refeeding of bile: *G. Hedenborg, A. Norlander & A. Norman* 551
- Conjugation and excretion of ^{14}C -chenodeoxycholic acid during total extrahepatic cholestasis: *G. Hedenborg, A. Norlander, A. Norman & R. Sundblad* 557
- Individual levels of plasma histidine-rich glycoprotein (HRG) during the normal menstrual cycle and in women on oral contraceptives low in oestrogen: *J. Jespersen & C. Klufst*... 563
- Post-transfusion non-A, non-B hepatitis in Finland: a prospective study: *A. Lagerstedt, J. Leikola, E. Merikallio & P. Ukkonen* 567
- Immunonephelometric quantification of serum vitamin D-binding globulin: *M. T. Parviainen A. Harmoinen & J. K. Visakorpi* 571
- Secretory IgA enzyme immunoassay. Application of a model for computation of the standard curve: *C. H. Sørensen* 577
- Thyroid hormone resistance in a 35-year old man with recurrent goitre: *G. Lindstedt, P.-A. Lundberg, B. Sjögren, I. Ernest & O. Sundquist* 585

Technical Notes

- Modification of the Vickers SP120 continuous flow analyser to accommodate the Scandinavian recommended conditions of enzyme analysis for aspartate aminotransferase, lactate dehydrogenase and alkaline phosphatase: *M. Sullivan, R. F. Fleet & E. F. Legg*... .. 595
- A simple modification of Greiner electronics selective analyser G300 permitting use of capillary blood samples: *A. Grubb, K. Bolin & B. Jeppsson* 599

No. 8

Original Articles

- Diet versus average Danish food in insulin-dependent diabetes mellitus: *A. Krarup-Hansen, T. Lauritzen, J. S. Christiansen, P. A. Svendsen & T. Deckert* ... 603
- Pacing induced angina and platelet reactivity: *E. Thaulow, J. Dale, J. Kjekshus, S. Simonsen, T. Hovig & N.-O. Solum* ... 607
- Relationship of red-cell 2,3-diphosphoglycerate with anaemia, hypoxaemia and acid-base status in patients with cirrhosis of the liver: *D. Espinós, J. L. Alvarez-Sala & A. Villegas* 613
- Creatine kinase and creatine kinase subunit-B in coronary sinus blood in pacing-induced angina pectoris: *J. P. Bagger, J. Ingerslev & E. M. Heinsvig* ... 617
- Age-related reference intervals for creatine kinase BB in serum: *P. Urdal, K. Urdal & J. H. Strømme* ... 621
- The presence of epidermal growth factor receptors in cultural human adipocyte precursors: *M. E. Forgue-Lafitte, R. L. R. Van, P. De Gasquet & G. Rosselin* ... 627
- Magnesium deficiency in chronic alcoholic patients uncovered by an intravenous loading test: *T. Bohmer & B. Mathiesen* ... 633
- The effects of a centrifugal pump as a left-ventricular-assist device in myocardial infarction: *S. Mattila, A. Harjula, I. Mattila, M. Härkönen, E. Merikallio & P. Tala* ... 637

Technical Notes

- The determination of blood spot glucose concentration using a rapid kinetic assay: *T. R. Gamlen, H. C. James & G. F. Batstone* ... 643
- An automatic method for Thrombotest on the 'Cobas Bio' centrifugal analyser: *R. L. Karlsen, A. Visdal & Å. Stensberg* ... 647
- List of Referees for 1982 ... 651

